








www.foraminifera.eu

Database Query

Userguide

Foraminifera by: [Genus](#) [Locality](#) [Fossil](#)        [Study Foram](#) [About](#)

Foraminifera Gallery Database Search Only criteria in black are set for all foram-images use also the illustrated [Taxa](#)
Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|----------------------|----------------|----------------------|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | <input type="text"/> | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage: | <input type="text"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

[Clear](#) [click on an image to see more](#)

1. Move your mouse to the down-arrow of the first desired criteria.

2. Press your left mouse-button

Foraminifera by: [Genus](#) [Locality](#) [Fossil](#)        [Study Foram](#) [About](#)

Foraminifera Gallery Database Search Only criteria in black are set for all foram-images use also the illustrated [Taxa](#)
Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|----------------------|----------------|----------------------|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | <input type="text"/> | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage: | <input type="text"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

[Clear](#) [click on an image to see more](#)

3. move the slider to the desired position



Foraminifera Gallery Database Search

Only criteria in black are set for all foram-images use also the illustrated Taxono

Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|----------------------|----------------|----------------------|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | <input type="text"/> | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage | <input type="text"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

Clear [click on an image to see more](#)

4. Move your mouse to the desired value

(here Ceratobulimina)

5. Press the left mouse button

- Buliminella
- Calcarina
- Cancris
- Cassidulina
- Cassidulinoides
- Ceratobulimina**
- Chrysalidinella
- Cibicidella
- Cibicides
- Cibicidoides
- Citharina
- Citharinella
- Clavulina
- Cornuloculina
- Coscinospira
- Criboelphidium
- Cribrostomoides
- Cribrorhammina
- Cyclamina
- Cyclocibicides



Foraminifera Gallery Database Search

Only criteria in black are set for all foram-images use also the illustrated Taxono

Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|----------------------|----------------|----------------------|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | Ceratobulimina | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage | <input type="text"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

search Clear [click on an image to see more](#)

now Ceratobulimina is selected

6. Select for the next criteria the desired value

(here the criteria is Epoch/Stage and the desired value Oligocene)

- recent
- Pleistocene
- Pliocene
- Miocene
- Oligocene**
- Eocene
- Paleocene
- Maastrichtian
- Campanian
- Santonian
- Coniacian
- Turonian
- Cenomanian
- Barremian
- Hauterivian
- Upper Jurassic (Malm)
- Lower Jurassic (Lias)
- Upper Triassic
- Pennsylvanian



Foraminifera Gallery Database Search

Only criteria in black are set for all foram-images use also the illustrated Taxono

Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|----------------------|----------------|----------------------|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | Ceratobulimina | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage | Oligocene |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

search Clear [click on an image to see more](#)

7. After you made your selections move the mouse to the search-button and press the left mouse-button



Foraminifera Gallery Database Search Only criteria in black are set for all foram-images use also the illustrated [Taxon](#)

Choose from the drop-down lists and press search. Do not make too many or contradictory choices.

| | | | | | |
|----------------|----------------------|-------------------|---|----------------|--|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | <input type="text" value="Ceratobulimina"/> | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage | <input type="text" value="Oligocene"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

[click on an image to see more](#)

You will get a plate with the available images for your choice which you see above

| | | | | | |
|---|--|---|--|---|--|
| <p>1 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>2 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>3 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | |
| <p>4 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>5 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>6 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | |
| <p>7 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | | | | |



Foraminifera Gallery Database Search Only criteria in black are set for all foram-images use also the illustrated [Taxon](#)

Choose from the drop-down lists and press search. Do not make too many or contradictory choices.




| | | | | | |
|----------------|----------------------|-------------------|---|----------------|--|
| Class: (Mikh.) | <input type="text"/> | Subclass: (Mikh.) | <input type="text"/> | Order: (Mikh.) | <input type="text"/> |
| Family: (L+T) | <input type="text"/> | Genus: (L+T) | <input type="text" value="Ceratobulimina"/> | Testform: | <input type="text"/> |
| Testmaterial: | <input type="text"/> | Area / Ocean: | <input type="text"/> | Country: | <input type="text"/> |
| Locality: | <input type="text"/> | System Period: | <input type="text"/> | Epoch / Stage | <input type="text" value="Oligocene"/> |
| Formation: | <input type="text"/> | Collection: | <input type="text"/> | Fototype: | <input type="text"/> |

[click on an image to see more](#)

8. Move your mouse on an image and press the left-mouse button to see more

| | | | | | |
|---|--|---|--|---|--|
| <p>1 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>2 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>3 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | |
| <p>4 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>5 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | <p>6 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | |
| <p>7 Ceratobulimina contraria Ceratobuliminidae Cassidulinida Paleogene Oligocene Germany Kobrow Johannes Kalbe</p> | | | | | |

net AG - E-Mail - DSL - M... x 1&1 Webmailer 2.0 x Foraminifera Database Search x Foraminifera: Ceratobulimina con... x

Foraminifera by: Genus Locality Fossil   Study Forum About Search 

Ceratobulimina contraria (Reuss, 1851)

1 more Taxon Profile

found in rock "Sternberger Kuchen", material provided by Johannes at Kobrow, Germany Oligocene

Umbilical view of a specimen of *Ceratobulimina contraria* (Reuss, 1851)

SEM picture taken together with by Dr. Rosenfeldt head of the Mikrobiologische Vereinigung of the Naturwissenschaftlicher Verein in Hamburg

My taxonomic suggestion is based upon: Müller, S. (2000): Mikrofazitische Gliederung des Ober-Oligozän in SW-Mecklenburg. Schriftenreihe für Geowissenschaften 11: 61-77, Berlin



This most detailed page opens in a new window
the window of the database-query is still there and
you may move back with a single mouse-click

Integrate you own images and
get them organized+accessible

Send me your images at a resolution of 450px x 450px 72dpi
accompanied by an excel-list with text-entries:

| EXCEL-List Part 1 | | | | | | |
|-------------------|------------|--------------------------------|----------------|-----------|---------------|-------------|
| | Name of | Family | Genus | Species | Name | Area/Region |
| | Image-file | based on Loeblich+Tappan, 1987 | | | given by | |
| Example: | xyz123.jpg | Ceratobuliminidae | Ceratobulimina | contraria | (Reuss, 1851) | North Sea |

| EXCEL-List Part 2 | | | | | | | |
|-------------------|----------|-------------|-------------|-----------|----------|---------------------|----------------|
| | Locality | Coordinates | Coordinates | Epoch | Stage | Formation | Collection |
| | | N/S | W/E | | | | |
| Example: | Kobrow | 53.67 | 11.33 | Oligocene | Rupelian | Sternberger Gestein | Johannes Kalbe |

You may add more own criteria

The integration of 1000 images will take less than a month

Michael Hesemann: michael@foraminifera.eu